

Strive for
your vision.




Best in class yield

Top Performance allows more juice per orange to be extracted



Take control with the new *One-Step*® Kit



Designed to simplify and speed up the cleaning process, with a more robust, ergonomic and easy to handle structure. It complies with NSF quality and safety standards, offering an innovative and unique solution.

Connect to the world of juice

New Zumex Connect platform allows complete remote management of your juicer and will give you access to the most comprehensive reports on the daily use, status, features and productivity of your machines.

ZUMEX CONNECT



Smart Juicing
Technology



Real Time
Data



Business



Zitrux®

The Next Generation of Juicers

Self-Sanitization. Automation. More Profits

New level
of Food
Safety

New ways of
Marketing

Best in
Class Yield

New Tap
Concept More
Hygiene and
Shrink Control

Zitrux

New Shopping
Experience

Zitrux Compact

More Autonomy,
Ergonomy and Work
Safety



Shopper

Theatralization: Eye catching effect with automatic lifting of each fruit separately.
Experience: New interactive "squeeze your own" shopper experience.
Visual: New display call to action.



Staff

Safety: Easy, Safe and Comfortable loading system.
Availability: Load juicer once for a full day of juicing.
Self-Cleaning: Less than 5 min to clean the machine.



Supermarket

Food Safety: Patented system to guarantee hygiene and food safety.
Self-Care: Full availability during opening hours.
Smart: IoT to control the revenue, liters counter and new concept tap.



MORE INFO






THE FIRST SELF-CLEANING JUICER RANGE

AUTONOMY & ERGONOMY: SELF-FEEDING
UP TO 70 KGS OF ORANGES

CONNECTIVITY: COMMAND AND CONTROL



Eje-catching video screen for an easy and intuitive
use of the machine.

Fast and continuous juice flow thanks to the new
volumetric tap. Automatic disinfection.

Integrated bottle dispenser.

High level of autonomy: 120 L waste capacity.

Colors:

Juices:

Oranges



Specifications

Speed	40 fruits/min	Voltage	208-240 V 50/60 Hz
Feeder capacity	70 kg 154 lb	Power	Squeezing 260W 0.34 HP Cleaning with detergent 2300 W 3.08 HP
Fruit diameter	Kit M: 65-81 mm	Safety	Double detector of access to moving parts. Engine blockage detection.

Bottle capacity 4 trays

1 litre bottles 96 bottles
50 cl bottles 122 bottles
33 cl bottles 122 bottles
25 cl bottles 144 bottles

See dimensions and
net weight at zumex.com



Zitrux Compact



Self-sanitation in an optimized space



MAXIMUM HYGIENE AND COST SAVING PER SQUARE METER

ONLY 0,46M2 OF FOOTPRINT.

CONNECTIVITY: COMMAND AND CONTROL



Fast and continuous juice flow thanks to the new volumetric tap. Automatic disinfection.

Up to 30Kg of non-stop production. Synchronise loading and unloading operation.

The most compact juicer that cleans and sanitizes itself.

Colors:



Juices:

Oranges

Specifications

Velocidad	40 fruits/min	Voltage	208–240 V 50/60 Hz
Feeder capacity	30kg	Power	Squeezing 260W 0.34 HP Cleaning with detergent 2100 W 2.81 HP
Fruit diameter	Kit M (Std) 65-81 mm	Safety	Double detector of access to moving parts. Engine blockage detection.

Consumption

Squeezing 1.2 A
Cleaning with detergent 10.4 A

See dimensions and
net weight at zumex.com



Multifruit

Pure power,
unlimited creativity.



- SUITABLE FOR HEAVY USE
- 24-HOUR NON-STOP SERVICE
- FAST AND SILENT
- NEVER-ENDING AUTONOMY
WITH THE COUNTERTOP KIT



High performance commercial juicer.

Titanium disc, maximum shredding power and sharper cutting for all fruit and vegetables.

The brushless motor is more powerful and lasts 4 times longer than a conventional motor, with no friction and no heat release.

Two speeds: the speed can be regulated between 3,500 and 4,500 rpm.

More hygienic tap with improved grip and optimised flow.

Colors:



Juices:

Fruit and
vegetables

Specifications

Performance	120 kg/h - 1.8 l/min 264 ½ lb/hr - ½ gal/min	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Waste capacity	13 l	Power output	870 W 1.17 HP
Diameter of fruit	Up to 75 mm	Consumption	1.8 A

Safety

Double micro switch on handle and one on wastebucket. Safety detection system and thermal overload relay

See dimensions and
net weight at zumex.com



Soul Series 2

Design and intelligence
in the smallest space.



ULTRA COMPACT, MAXIMUM
PERFORMANCE AND AUTONOMY

PROVIDES REAL-TIME PRODUCTIVITY AND
PERFORMANCE DATA

CONICAL SYSTEM® PRECISE CUTTING,
MAXIMUM JUICE AND TASTE



Juicing kits for all citrus fruits. Squeezes from
42 to 81 mm diameter.

Push&Juice, with intuitive colour-coded warning
button.

PulpOut System, automatic filter-sweeper to
remove the excess of pulp and seeds.

1Step Case Out, clean and convenient juicing
unit collection for a practical handling.

Colors:



Juices

Oranges | Tangerines
Limes | Lemons*

*It is recommended to squeeze
rounded and thin-skinned lemon
varieties.

Specifications

Fruit per minute

M/S KIT: 18 fruits / min
XS KIT: 36 fruits / min

Voltage

Multi-voltage
100-240 V | 50-60 Hz

Feeder capacity

3/6 oranges, 7/8 limes

Power output

100 W | 0.134 HP

Diameter of fruit

M Kit (Std) 64-81 mm
S Kit (Op) 45-65 mm
XS Kit (Limes Ed) 42-52 mm

Consumption

0.4-3.4 A (100-130 VAC)
0.3-1.5 A (220-240 VAC)

Safety

Microswitch on door and
motor
locking detection mechanism

See dimensions and
net weight at zumex.com



Minex

Colourful Evolution.




7 NEW COLOURS. A MORE ELEGANT AND SOPHISTICATED LOOK

ULTRA WEAR- AND WASH-RESISTANT FINISHES

NON-STOP FEEDER SYSTEM

SMALLER FOOTPRINT



Top Performance squeezing system, with extra yield and no cycle limit.

Two ways of serving the juice: with a self-service, non-drip tap or with an integrated decanter.

Efficient and clean with our ASP® antibacterial nanotechnology

Built-in waste bucket.

Colors:



Juices:

Oranges

Specifications

Fruits per minute

13 fruits / min

Voltage

Multi-voltage
100-240 V | 50-60 Hz

Feeder capacity

6 / 7 fruits

Power output

44 W | 0.06 HP

Diameter of fruit

65 - 78 mm

Consumption

0.2 A / 0.45 A

Safety

Triple safety detector and
motor
locking detection mechanism

See dimensions and
net weight at zumex.com



Essential Pro

Maximum simplicity



Colors:



Juices:

Oranges | Tangerines
Limes | Lemons

PRACTICAL SIMPLICITY


TOUCH CONTROL DIGITAL DISPLAY

22 ORANGES PER MINUTE

EASY TO DISASSEMBLE AND CLEAN



SMART JUICER



BASIC



250ML = 10"

Manual feeder with capacity for 4-5 fruits, making juicing easier.

Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Autostart: the juicer starts up automatically when the citrus fruit is placed into the feeder.

S Kit for smaller citrus fruit, such as limes and lemons (45-67 mm).

The self-service mode comes with a non-drip tap which also has a special position for automatic dispensing.

Specifications

Fruits per minute 22 fruits / min

Feeder capacity 4 / 5 fruits

Diameter of fruit M Kit: 65-81 mm
S Kit (Op): 45-67 mm

Voltage 220-240 V | 50-60 Hz
115 V | 60 Hz

Power output 300 W | 0.40 HP
320 W | 0.43 HP

Consumption 2.7 A

Safety

Double safety detector and motor locking detection mechanism

See dimensions and net weight at zumex.com



Versatile Pro

Absolute autonomy.





PULPOUT SYSTEM.
150 KG NON-STOP PRODUCTION

22 ORANGES PER MINUTE

TOUCH CONTROL DIGITAL DISPLAY

FRUIT COUNTER – PARTIAL/TOTAL



Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Professional: serves juice in continuous mode. The number of oranges can be programmed.

1Step Kit, so you can remove the entire juicing system quickly and easily.

Ultra-smooth feeder system with front door for easy loading of fruit.

The tap comes with an Easy Press front push button and a special position for automatic dispensing.

Colors:



Juices:

Oranges | Tangerines
Limes | Lemons

Specifications

Fruits per minute 22 fruits / min

Feeder capacity 16 kg | 35 lb

Diameter of fruit M Kit: 65-81 mm
S Kit (Op): 45-67 mm

Voltage 220-240 V | 50-60 Hz
115 V | 60 Hz

Power output 380 W | 0.51 HP
320 W | 0.43 HP

Consumption 2.7 A

Safety

Double safety detector and motor
locking detection mechanism

See dimensions and
net weight at zumex.com



Versatile Star


The most compact self-service juicer on the market.



40 FRUITS PER MINUTE

PULPOUT SYSTEM. 150 KG NON-STOP PRODUCTION

MAXIMUM AUTONOMY AND SPEED OF SERVICE IN JUST 0.26 M² OF SPACE



1Step Kit, clean and convenient juicing unit extraction.

Self-service mode: the juice is served directly into the glass or jug.

Bottle holder available with 3 sizes:
34,4 mm | 36 mm | 38 mm.

The Waste Limit function helps to monitor the filling level of the waste trolley.

Lightweight, wheeled podium or Juice Corner wooden cabinet.

Colors:

Juices:

Oranges | Tangerines
Limes | Lemons

Specifications

Fruits per minute	40 fruits / min	Voltage	230V 50 Hz 115 V 60 Hz
Feeder capacity	20 kg 44 lb	Power	280W 0.38 HP 360W 0.48 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	1.4 A / 3.4 A

Safety


Double safety detector and motor locking detection mechanism

See dimensions and net weight at [zumex.com](https://www.zumex.com)



Speed Up

The fastest and sturdiest commercial juicer.




40 FRUITS PER MINUTE

GROUNDBREAKING DESIGN

PULPOUT SYSTEM. AUTOMATIC FILTERING
FOR GREATER AUTONOMY

Models:



Up 2Services tap in countertop model.

With bottle holder available in 3 sizes:
34,4 mm | 36 mm | 38 mm.

Wide or Slim steel podium or Juice Corner
wooden cabinet.

Colors:



Juices:

Oranges | Tangerines
Grapefruits | Limes | Lemons

Specifications

Fruits per minute 40 fruits/ min

Feeder capacity 20 kg | 44 lb

Diameter of fruit
M Kit: 65-81 mm
S Kit (Op): 45-67 mm
L Kit (Op): 75-95 mm

Voltage 220-240 V | 50-60 Hz
120 V | 60 Hz
100 V | 50-60 Hz

Power output 460 W | 0.62 HP
320 W | 0.43 HP
350 W | 0.47 HP

Consumption 1.9 A / 2.7 A / 3.5 A

Safety Triple safety detector and
motor
locking detection mechanism

See dimensions and
net weight at zumex.com



Speed S⁺plus

The highest performance
comercial juicer.




40 FRUITS PER MINUTE

NO. 1 IN PERFORMANCE. GREAT ROBUSTNESS
AND RELIABILITY

PULPOUT SYSTEM. AUTOMATIC FILTERING
FOR GREATER AUTONOMY

Models:



1Step Kit, so you can remove the entire juicing
system quickly and easily.

2Services tap with front push-button and bottle
holder available in 3 sizes:
34,4 mm | 36 mm | 38 mm.

Wide or Slim steel podium or Juice Corner wooden
cabinet.

Colors:



Juices:

Oranges | Tangerines
Grapefruits | Limes | Lemons

Specifications

Fruits per minute 40 fruits / min

Feeder capacity 20 kg | 44 lb

Diameter of fruit
M Kit: 65-81 mm
S Kit (Op): 45-67 mm
L Kit (Op): 75-95 mm

Voltage 220-240 V | 50-60 Hz
120 V | 60 Hz
100 V | 50-60 Hz

Power output 460 W | 0.62 HP
320 W | 0.43 HP
350 W | 0.47 HP

Consumption 1.9 A / 2.7 A / 3.5 A

Safety


Triple security detector and
engine stall detection

See dimensions and
net weight at zumex.com



Speed Pomegranates

Easy, fast and non-stop
pomegranate juicer.




POWERFUL AND ROBUST

TRIPLE FILTERING TO OBTAIN
READY-TO-DRINK, PREMIUM QUALITY JUICE

JUICES POMEGRANATES UP TO 95 MM

Models:



Juicing system especially designed for
pomegranates.

Up 2Services tap with front button and bottle holder
available in three sizes: 34,4 mm | 36 mm | 38 mm.

PulpOut System. Extra large conveyor belt to
remove seeds and optimize performance.

Hard-wearing titanium blade ensures excellent
cutting and durability.

Excellent autonomy, over 100 Kg of non-stop
production.

Colour:



Juices:

Pomegranate

Specifications

Fruits per minute 30 pomegranate / min

Feeder capacity 20 kg | 44 lb

Diameter of fruit M Kit: 75-95 mm
S Kit (Op): 65-85 mm

Voltage 230 V | 50 Hz
230 V | 60 Hz
115 V | 60 Hz

Power 325 W | 0.44 HP
420 W | 0.56 HP
280 W | 0.38 HP

Consumption 1.5 A /2 A/ 2.7 A

Safety

4 safety detectors and motor
locking detection mechanism

See dimensions and net weight
and net weight at zumex.com



PineOmatic

Peel and cut natural pineapple without a fuss.



100% NATURAL, FRESHLY CUT PINEAPPLE

MAKING THE MOST OF THE EDIBLE PART OF EACH PINEAPPLE AND REDUCING WASTE

Models:



Multiply the sale of pineapples by up to 5 times.

Display with video to engage customers and show an easy step by step process.

Contactless. Very easy 3-step self-service operation.

Integrated container dispenser.

Built-in pineapple display case on top.

Continuous animation during the process.

Specifications

Speed 30"/pineapple

Voltage 220-240V | 50/60Hz

Display capacity 8 units

Power output 200 W

Size Size 6 | Size 7 | Size 8
(Choose machine settings according to the desired size)

Waste capacity 40 pineapples

Recommended container size
Size 6 and 7: 124 mm - Ø118 mm
Size 8: 108 mm - Ø118 mm

See dimensions and net weight and net weight at zumex.com



5 years warranty

Register your product in our website
within 3 months of purchase and
extend your warranty from 2 to 5 years.



- No cycle limit
- No maintenance contract



- More information



Juicing solutions

Find the commercial juicer that best suits
the needs of your business.

Fast service

Fruits / min.

Channel



Supermarket/
Hypermarket

Convenience/
Corner shop

Fruit shop

Bakery

Hotel

Restaurants



Juice shop

Gym

Co-working
spaces

Hotel

Cocktails


Bar/Coffee shop


Catering

Club

Autonomy

Feeder, capacity waste,
pulp sweeper





Zumex Group | Headquarters
Pol. Ind. Moncada III - C/Moli 2
46113 Moncada - Valencia - Spain
Tel: +34 961 301 251
zumex@zumex.com

Zumex France
14 Rue du Pont Neuf,
75001 Paris - Francia
Tel: +33 975 187 354
zumexfrance@zumex.com

Zumex México
Uxmal 616, Colonia Vértiz Narvarte
Delegación Benito Juárez
CP 03600, Ciudad de México-
México
Tel.: +52 (55) 5212-0619
zumexmexico@zumex.com

Zumex North America
1573 NW 82nd Ave,
Miami, FL 33126 USA
Tel. +1 305 591 0061
zumexusa@zumex.com
