

•• zumex®



Best in class yield




Top Performance allows more juice per orange to be extracted.

They adapt to the size of the orange to apply the appropriate amount of pressure for juice extraction. The best performance for a wide variety of oranges.




Zumex ASP®

The first generation of commercial juicers featuring antibacterial nanotechnology based on silver ions that inhibits bacteria growth, guaranteeing extra effective and long-lasting protection.



Patented


Take control with the new One-Step® Kit



Designed to simplify and speed up the cleaning process, with a more robust, ergonomic and easy to handle structure. It complies with NSF quality and safety standards, offering an innovative and unique solution.

Service Solution

Warranty + Zumex care - an extra protection plan for your needs



- No cycle limit
- No maintenance contract

ZitruX

40 Fruits
per minute



Maximum hygiene and sanitizing.




Thanks to its load capacity of 165 lbs



Theatralization. Catchy effect
feeding juicer one-by-one.






Juices:



Maximum hygiene with automatic cleaning system: built-in self-cleaning ensures perfect hygiene at all times. Water hardness required for optimal performance, use water with a hardness between 50 and 80 ppm (as CaCO₃).

Full autonomy: built for continuous operation in high-demand environments.

Features:



Specifications


Fruit per minute	40 fruits/ min	Voltage	220-240 V 50-60 Hz
Feeder capacity	165 lbs	Power	Squeezing 260W 0.34 HP Cleaning with detergent 2300 W 3.08 HP
Diameter of fruit	Kit M: 65 - 81 mm	Consumption	Squeezing 1.2 A Cleaning with detergent 10.4 A
Bottle capacity 4 trays	1 liter: 32 oz 50 cl: 16 oz 33cl: 12 oz 25 cl: 8 oz	See dimensions and net weight at zumex.com	

Zitrux Compact

40 Fruits
per minute



Maximum hygiene and sanitizing.



Contactless tap, easy and intuitive.
Automatic tap hygienization.



Isolation of the squeezing area
increasing food safety.

This cleaning process follows the
principles of the Sinner's cycle.






Juices:



Features:



Maximum hygiene with automatic cleaning system: built-in self-cleaning ensures perfect hygiene at all times.

The most compact juicer that cleans and sanitizes itself.

Full autonomy: built for continuous operation in high-demand environments.

Smart Zitrix® system: remote management app to monitor performance, maintenance, and usage stats in real time.

Certified hygiene: food-grade materials and detachable components for thorough cleaning.

Only a 4.9 sq ft footprint

Specifications

Fruit per minute	40 fruits/ min	Voltage	208–240 V 50-60 Hz
Feeder capacity	66 lbs	Power output	Squeezing 260W 0.34 HP Cleaning with detergent 2100 W 2.81 HP
Diameter of fruit	M Kit: 65-81 mm	Consumption	Squeezing 1.2 A Cleaning with detergent 10.4 A

Safety

Triple safety detector and motor locking detection mechanism
See dimensions and net weight at zumex.com



Zumex Pineomatic

Pineapple
Cutter



Pineapple ready to eat



Eye-catching display



SLICES



SPEARS



CHUNKS



CYLINDER

4 cutting options





Fruits:



Profitable from day one: boost consumption by up to 20% and secure the best value in the industry.

Fruit sizes:



Attracts consumers with convenience and quality in a single step – operators can pre-pack, or shoppers cut fresh on the spot.

Touchless technology: no contact, no effort, fully hygienic.

Built for durability: maximum performance with margins up to 40%, designed for continuous profits.

Compact design with an extra-large waste bin for longer autonomy.

Specifications

Speed	30"/pineapple	Voltage	220-240 V 50-60 Hz
Waste capacity	40 pineapples	Power output	200W
Size	Size 6 & 7: 124 mm - Ø 118 mm Size 8: 108 mm - Ø 118 mm	Consumption	1.4 A 3.4 A

Display Vídeo

Display 15"

See dimensions and
net weight at zumex.com



Multifruit



Control Panel 2 Speeds



Optimal flow anti-drip tap

Better grip, more hygienic.



Titanium Shredding disc

Maximum strength for all fruits and vegetables and long-lasting sharpness.





Fruits: For all your non-citrus needs



FRUITS




VEGETABLES

High performance commercial juicer.

Titanium disc, maximum shredding power and sharper cutting for all fruit and vegetables.

The brushless motor is more powerful and lasts 4 times longer than a conventional motor, with no friction and no heat release.

Features:




Two speeds: the speed can be regulated between 3,500 and 4,500 rpm.

More hygienic tap with improved grip and optimised flow.

Specifications

Performance	264 lb/h - 64 oz / min	Voltage	100-120V 50-60 Hz
Waste capacity	264 lb/h - 64 oz / min	Power output	870 W
Diameter of fruit	Up to 75 mm	Consumption	1.8 A
Safety	Double micro switch on handle and one on wastebucket. Safety detection system and thermal overload relay	See dimensions and net weight at zumex.com	

Soul Series 2



Top Performance Conical System®

Precise cutting, maximum juice and taste



Smart

Provides real-time productivity and performance data.



Pulp out

Automatic filter that removes excess pulp and seeds.
Guarantees greater autonomy and consistent quality
in every cup.






Juices:



Juicing kits for all citrus fruits. Squeezes from 42 to 81 mm diameter.

Features:



Push&Juice, with intuitive colour-coded warning button.

PulpOut System, automatic filter-sweeper to remove the excess of pulp and seeds.

1Step Case Out, clean and convenient juicing unit collection for a practical handling.

**It is recommended to squeeze rounded and thin-skinned lemon varieties.

Specifications

Fruit per minute	M/S KIT: 18 fruits / min XS KIT: 36 fruits / min	Voltage	90-240 V 50-60 Hz
Feeder capacity	3/6 oranges, 7/8 limes	Power output	100 W
Diameter of fruit	M Kit (Std) 64-81 mm S Kit (Op) 45-65 mm XS Kit (Limes Ed) 42-52 mm	Consumption	0.9A
Safety	Microswitch on door and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Minex



Ultra wear and wash resistant finishes



Non-stop feeder system



Smaller footprint






Juices:



No cycle limit.

Two ways of serving the juice: with a self-service, non-drip tap or with an integrated decanter.

Features:



Efficient and clean with our ASP® antibacterial nanotechnology

Built-in waste bucket.

Specifications

Fruit per minute	13 fruit / min	Voltage	100-240 V 50-60 Hz
Feeder capacity	6 / 7 fruits	Power output	44 W
Diameter of fruit	65 - 78 mm	Consumption	0.40 A
Safety	Triple safety detector and motor locking detection mechanism		See dimensions and net weight at zumex.com




Essential Basic

Juices:



Features:



Essential is that one thing you can't do without. That's why we made the essential combine 3 things we believe are necessary in every one of our juicers: ease of use, performance and hygiene.

Just a single button. Press to stop. That's it- freshly-squeezed juice. When we say easy, we mean very easy, but without sacrificing functionality. You choose whether to use the anti-drip tap to pour the juice directly into the glass or jar.

We've added our most advanced juicing unit, the Top Performance, equipped with ASP nanotechnology that helps inhibit bacterial growth.



Specifications

Fruit per minute	27 fruits / min	Voltage	115 V 50/60 Hz
Feeder capacity	6/7 fruits	Power output	320 W
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.8 A
Safety		Double safety detector and motor locking detection mechanism See dimensions and net weight at zumex.com	



Versatile Basic

Juices:



Features:



Versatile Basic follows Zumex's philosophy on ease of use. A single button controls both the start and end of juicing. But it's even a little more convenient.

Thanks to its integrated feeding system, with a capacity of 22 lb of fruit, the unit can produce approximately 20 servings of juice before requiring a reload. This maximizes operational efficiency between loading cycles and ensures continuous delivery of high-quality, freshly extracted juice with minimal operator intervention.

We've added our most advanced juicing unit, the Top Performance, equipped with ASP nanotechnology that helps inhibit bacterial growth. The anti-drip tap makes it possible to pour the juice directly into the glass or jar. And no matter what, its built-in-waste container collects fruit residues so your business is always spotless.



Specifications

Fruit per minute	27 fruits / min	Voltage	115 V 50/60 Hz
Feeder capacity	6/7 fruits	Power output	320 W
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.8 A
Safety	Double safety detector and motor locking detection mechanism		
	See dimensions and net weight at zumex.com		



Essential Pro Pulpout



Pulpout system.



Touch control digital display



Easy to disassemble and clean





Juices:




Manual feeder with capacity for 4-5 fruits, making juicing easier.

Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Autostart: the juicer starts up automatically when the citrus fruit is placed into the feeder.

S Kit for smaller citrus fruit, such as limes and lemons (45-67 mm).

Features:



The self-service mode comes with a non-drip tap which also has a special position for automatic dispensing.

Specifications

Fruit per minute	27 fruits / min	Voltage	115 V 50/60 Hz
Feeder capacity	4 / 5 fruits	Power output	320 W
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.8 A
Safety	Double safety detector and motor locking detection mechanism		See dimensions and net weight at zumex.com



Versatile Pro



Pulpout system.



1 Step kit



Feeder capacity 35lb





Juices:



Operating modes. Self-service: the machine serves the juice directly into a glass or jug.


Professional: serves juice in continuous mode. The number of oranges can be programmed.

1Step Kit, designed for fast and efficient removal of the complete juicing system.

Ultra-smooth feeder system with front door for easy loading of fruit.

The tap comes with an Easy Press front push button and a special position for automatic dispensing.

Features:



Specifications

Fruit per minute	27 fruits / min	Voltage	115 V 50-60 Hz
Feeder capacity	35 lb	Power output	320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.8 A
Safety	Double safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Versatile Star

40 Fruits
per minute



Pulpout system.
330lb non-stop production



1 Step kit



Feeder capacity 44lb

Waste basket
Trolleys
50 L - 44lb



Optional juice corner



Juices:



Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Professional: serves juice in continuous mode. The number of oranges can be programmed.

1Step Kit, designed for fast and efficient removal of the complete juicing system.

Ultra-smooth feeder system with front door for easy loading of fruit.

Features:



Specifications

Fruit per minute	40 fruits / min	Voltage	115 V 50-60 Hz
Feeder capacity	44 lb	Power output	320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.8 A
Safety	Double safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Speed Up

40 Fruits
per minute



Pulpout system.
330lb non-stop production



44 lb feeder capacity




Maximum autonomy and speed of service

**Waste baskets
2 Trolleys
100L - 90lb**



Optional juice corner



Juices:



Dark protective cover that prevents spills and keeps the area hygienic for longer.

With bottle holder available in 3 sizes:
34,4 mm | 36 mm | 38 mm.

Features:



Wide or Slim steel podium or Juice Corner wooden cabinet.

Digital Display with 2 modes of use.

Specifications


Fruit per minute	40 fruits/ min	Voltage	115 V 60 Hz
Feeder capacity	44 lb	Power output	320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	Consumption	2.8 A
Safety	Triple safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Speed S + plus

40 Fruits
per minute



Premium tap: ergonomic design with anti-drip system, perfect for direct service or bottling.



1Step Kit: quick one-step disassembly for faster, easier, and safer cleaning.



Pulpout system.
330lb non-stop production



Optional juice corner



Juices:



2 Services tap with front push-button and bottle holder available in 3 sizes:
34.4 mm | 36 mm | 38 mm.

Maximum performance: efficiently juices large volumes of citrus fruits quickly and consistently.

Features:



Durability and reliability: high-quality materials ensure a long lifespan and minimal maintenance.

Original System® technology: exclusive extraction system that maximizes juice yield while preserving natural flavor.

Specifications

Fruit per minute	40 fruits/ min	Voltage	115 V 60 Hz
Feeder capacity	44 lb	Power output	320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	Consumption	2.8 A
Safety	Triple safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Speed S⁺ plus

Tank Podium

Optional juice corner

Juices:



Features:



1Step Kit, designed for fast and efficient removal of the complete juicing system.

2Services tap with front push-button.

The advantage of a 1 gal juice tank, with no risk of overflowing.

Specifications

Fruit per minute	40 fruits/ min	Voltage	115 V 60 Hz
Feeder capacity	44 lb 20 kg	Power output	320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	Consumption	2.8 A
Safety	Triple safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Speed Pomegranates

Optional juice corner



Juices:



Juicing system especially designed for pomegranates.

Features:



Up 2Service tap with front button and bottle holder.

PulpOut System. Extra large conveyor belt to remove seeds and optimize performance.

Hard-wearing titanium blade ensures excellent cutting and durability.

Excellent autonomy, over 200lb of non-stop production.


Triple filtering to obtain ready-to-drink, premium quality juice.

Specifications


Fruit per minute	40 fruits/ min	Voltage	115 V 60 Hz
Feeder capacity	44 lb	Power output	320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	Consumption	2.8 A
Safety	Triple safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Size Chart


Limes




Lemons




Oranges



Pomegranates



Grapefruit




Juicing kits



Small Kit

45mm to 67mm

Essential Basic/Pro - Versatile Basic - Speed Up models+ Pomegranate



1Step S

Versatile Pro / Star - Speed S+plus models



KIT XS-Soul Series 2

42mm to 52mm



Medium Kit

65mm to 81mm

Essential Basic/Pro - Versatile Basic - Speed Up models+ Pomegranate



1Step M

Versatile Pro / Star - Speed S+plus models



KIT S-Soul Series 2

45mm to 65mm



Large Kit

65mm to 81mm

Speed Up models+ Pomegranate



1Step L

Speed S+plus models



KIT M-Soul Series 2

64mm to 81mm



zumex.com