

Cleaning Instructions

Caution! Before getting started, make sure that the machine is unplugged from general switch. For a correct cleaning process, please follow the instructions below.



Remove the feeder plate by unscrewing the central knob. Then clean the feeder base with a wet cloth.



Turn the black knobs of the PulpOut inwards, releasing the cover fastening.



Remove juice tray and PulpOut in one step.



Place on a surface and remove the PulpOut Remove the tap pressing softly both sides. from the tray.



Remove filter.



Remove the tap pressing softly both sides.



Remove the peel buckets.



Remove the front cover.



Unscrew the central knob of the 1Step Extraction Kit.



Remove the 1Step Extraction Kit by pullingit towards you with the stainless-steel handles.



Assemble the blade protector and then remove the blade by pulling the handle towards you.



Clean the front part of the machine with a soft sponge.



Remove the anti drop tray and the filter.



In case of podium models, clean the hopper with a soft sponge.



Take out the waste bin and clean inside the podium, making sure that there is no rest of pulp and peels.

The cleaning process will be explained in details for each one of the machine's components below.





Cleanliness and hygiene warnings

Zumex recommends cleaning the machine at least once or twice a day, depending on how much it is used in order to maintain optimal food hygiene conditions.



All the parts, except from the cover and the tap can be put in a dishwasher to clean them. Furthermore, if you have Silver or Graphite models do not put peel buckets as well



Use a degreaser product for food use to be able to easily remove all traces of pulp and adhering wax. It is necessary to sanitize with a disinfectant product after each cleaning.



Cleaning of the extraction area and any of its removableparts must be done with a sponge. Do not use scouring sponges that could scratch the surfaces.



Rinse with plenty of water after sanitizing, in order to remove any remaining disinfectant.

Replacing parts

For quick cleaning in the middle of the day, we recommend having a kit with spare parts. This Kit is made up of: a cover, 1Step Extraction Kit, Juice container and Filter.

Daily cleaning

Blade, tap, juice container, filter, drip tray, feeder plate and front cover



Clean piece by piece, by hand or in the dishwasher. *Check the recommendations regarding parts that can be washed in the dishwasher (pag. 2)



Clean the feeding plate in the dishwasher or with a soft sponge to remove the remaining particles still stuck to it.



Clean the cover with a soft sponge to avoid damaging the material. Rinse with plenty of water.

1Step Extraction Kit



Clean the entire assembly with a sponge and soap in a single piece under a tap. Move the pressing units around to make sure that they are completely clean.



The assembly can also be washed in a single piece in a dishwasher.

For a quick cleaning, clean the 1Step Extraction Kit assembled in a single piece under a tap or in a dishwasher.




Cleaning instructions for components

Sistema PulpOut automático



Place the PulpOut system on a smooth surface, place your fingers on the inside of the sweeping belt roller and push it outwards to release it.



Pull out the sweeping belt together with the other roller and remove both parts.



Clean all the parts with a sponge and soap, rinse after with clean water. All the parts can also be washed in a dishwasher.

Recommended cleaning instructions

Midday Cleaning

Cover, 1Step Extraction Kit, Juice container, filter and tap



Turn the black knobs of the PulpOut inwards, releasing the cover fastening.



Remove juice tray and PulpOut in one step.





Remove 1Step Extraction kit and the blade.



Clean piece by piece, by hand or in the dishwasher. *Check the recommendations regarding parts that can be washed in the dishwasher (pag. 2)



Weekly cleaning Kit de Extracción 1Step



Remove the peel ejectors located on the sides at the bottom.



Unscrew the knob located on the lower central part.



Lift the stainless-steel handles.



Remove the pressing units.



Clean all the parts with a sponge and soap, rinse after with clean water. All the parts can also be washed in a dishwasher.

For deep cleaning, disassemble the 1Step Extraction Kit and clean all the parts.



Assembly Instructions



Insert the juice tray and the filter.



Assemble the tap.



Insert the filter.



Place the PulpOut filter on a surface. First mount the inner roller, insert the second roller and stretch the belt until the roller is mounted in its housing.



Insert the PulpOut into the holes of the juice tray.



Insert the blade pressing towards the machine until notice the clip sound.



¡Caution! Remove the blade protector before inserting the kit.



Insert 1Step Extraction kit



Screw the central know of the 1Step Extraction Kit.



Assemble the front cover.



Place the peel buckets towards the machine until notice the bucket is in their position.



Insert the juice tray and PulpOut in one step.



Turn the black knobs of the PulpOut to a vertical position and fix them in place on the cover



Insert the feeder plate by screwing the central knob.