

Strive for your vision

 **zumex**[®]


EN

Best in class yield

Top Performance allows more juice per orange to be extracted



Take control with the new One-Step® Kit



Designed to simplify and speed up the cleaning process, with a more robust, ergonomic and easy to handle structure. It complies with NSF quality and safety standards, offering an innovative and unique solution.

Connect to the world of juice

New Zumex Connect platform allows complete remote management of your juicer and will give you access to the most comprehensive reports on the daily use, status, features and productivity of your machines.

ZUMEX CONNECT



Smart Juicing
Technology



Real Time
Data



Business



Zitrix®

The Next Generation of Juicers

Self-Sanitization. Automation. More Profits



Shopper

Theatralization: Eye catching effect with automatic lifting of each fruit separately.
Experience: New interactive "squeeze your own" shopper experience.
Visual: New display call to action.



Staff

Safety: Easy, Safe and Comfortable loading system.
Availability: Load juicer once for a full day of juicing.
Self-Cleaning: Less than 5 min to clean the machine.




Supermarket

Food Safety: Patented system to guarantee hygiene and food safety.
Self-Care: Full availability during opening hours.
Smart: IoT to control the revenue, liters counter and new concept tap.



MORE INFO





THE FIRST SELF-CLEANING JUICER RANGE

AUTONOMY & ERGONOMY: SELF-FEEDING UP TO 70 KGS OF ORANGES

CONNECTIVITY: COMMAND AND CONTROL




SMART JUICER



SELF-SANITISES



FEEDER WITH ELEVATOR



120L

Eye-catching video screen for an easy and intuitive use of the machine.

Fast and continuous juice flow thanks to the new volumetric tap. Automatic disinfection.

Integrated bottle dispenser.

High level of autonomy: 120 L waste capacity.

Colors:



Juices:

Oranges

Specifications

Speed	40 fruits/min	Voltage	208–240 V 50/60 Hz
Feeder capacity	70 kg 154 lb	Power	Squeezing 260W 0.34 HP Cleaning with detergent 2300 W 3.08 HP
Fruit diameter	Kit M: 65–81 mm	Safety	Double detector of access to moving parts. Engine blockage detection.
Bottle capacity 4 trays	1 litre bottles 96 bottles 50 cl bottles 122 bottles 33 cl bottles 122 bottles 25 cl bottles 144 bottles	See dimensions and net weight at zumex.com	

Zitrix Compact


Self-sanitation in an optimized space



MAXIMUM HYGIENE AND COST SAVING PER SQUARE METER

ONLY 0,46M² OF FOOTPRINT.

CONNECTIVITY: COMMAND AND CONTROL



Fast and continuous juice flow thanks to the new volumetric tap. Automatic disinfection.

Up to 30Kg of non-stop production. Synchronisez loading and unloading operation.

The most compact juicer that cleans and sanitizes itself.

Colors:

Juices:



Oranges

Specifications

Velocidad	40 fruits/min	Voltage	208–240 V 50/60 Hz
Feeder capacity	30kg	Power	Squeezing 260W 0.34 HP Cleaning with detergent 2100 W 2.81 HP
Fruit diameter	Kit M (Std) 65-81 mm	Safety	Double detector of access to moving parts. Engine blockage detection.

Consumption Squeezing 1.2 A See dimensions and
Cleaning with detergent 10.4 A net weight at zumex.com



Multifruit

Pure power,
unlimited creativity.



SUITABLE FOR HEAVY USE

24-HOUR NON-STOP SERVICE

FAST AND SILENT

NEVER-ENDING AUTONOMY WITH THE COUNTERTOP KIT



High performance commercial juicer.

Titanium disc, maximum shredding power and sharper cutting for all fruit and vegetables.

The brushless motor is more powerful and lasts 4 times longer than a conventional motor, with no friction and no heat release.

Two speeds: the speed can be regulated between 3,500 and 4,500 rpm.

More hygienic tap with improved grip and optimised flow.

Colors:



Juices:

Fruit and vegetables

Specifications

Performance	120 kg/h - 1.8 l/min 264 ½ lb/hr - ½ gal/min	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Waste capacity	13 l	Power output	870 W 1.17 HP
Diameter of fruit	Up to 75 mm	Consumption	1.8 A
Safety	Double micro switch on handle and one on wastebucket. Safety detection system and thermal overload relay	See dimensions and net weight at zumex.com	



Soul Series 2


Design and intelligence
in the smallest space.



ULTRA COMPACT, MAXIMUM
PERFORMANCE AND AUTONOMY

PROVIDES REAL-TIME PRODUCTIVITY AND
PERFORMANCE DATA

TOP PERFORMANCE CONICAL SYSTEM®
PRECISE CUTTING, MAXIMUM JUICE AND
TASTE



Juicing kits for all citrus fruits. Squeezes from 42 to 81 mm diameter.

Push&Juice, with intuitive colour-coded warning button.

PulpOut System, automatic filter-sweeper to remove the excess of pulp and seeds.

1Step Case Out, clean and convenient juicing unit collection for a practical handling.

Colors:



Juices

Oranges | Tangerines
Limes | Lemons*

*It is recommended to squeeze rounded and thin-skinned lemon varieties.

Specifications

Fruit per minute	M/S KIT: 18 fruits / min XS KIT: 36 fruits / min	Voltage	Multi-voltage 100–240 V 50–60 Hz
Feeder capacity	3/6 oranges, 7/8 limes	Power output	100 W 0.134 HP
Diameter of fruit	M Kit (Std) 64-81 mm S Kit (Op) 45-65 mm XS Kit (Limes Ed) 42-52 mm	Consumption	0.4-3.4 A (100-130 VAC) 0.3-1.5 A (220-240 VAC)
Safety	Microswitch on door and motor locking detection mechanism See dimensions and net weight at zumex.com		





Colors:



Juices:


Oranges

7 NEW COLOURS. A MORE ELEGANT AND SOPHISTICATED LOOK

ULTRA WEAR- AND WASH-RESISTANT FINISHES

NON-STOP FEEDER SYSTEM

SMALLER FOOTPRINT



Top Performance squeezing system, with extra yield and no cycle limit.

Two ways of serving the juice: with a self-service, non-drip tap or with an integrated decanter.

Efficient and clean with our ASP® antibacterial nanotechnology

Built-in waste bucket.

Specifications

Fruits per minute	13 fruits / min	Voltage	Multi-voltage 100-240 V 50-60 Hz
Feeder capacity	6 / 7 fruits	Power output	44 W 0.06 HP
Diameter of fruit	65 - 78 mm	Consumption	0.2 A / 0.45 A
Safety	Triple safety detector and motor locking detection mechanism See dimensions and net weight at zumex.com		



Essential Pro

Maximum simplicity





PRACTICAL SIMPLICITY

TOUCH CONTROL DIGITAL DISPLAY

22 ORANGES PER MINUTE

EASY TO DISASSEMBLE AND CLEAN



Manual feeder with capacity for 4-5 fruits, making juicing easier.

Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Autostart: the juicer starts up automatically when the citrus fruit is placed into the feeder.

S Kit for smaller citrus fruit, such as limes and lemons (45-67 mm).

The self-service mode comes with a non-drip tap which also has a special position for automatic dispensing.

Colors:



Juices:

Oranges | Tangerines
Limes | Lemons

Specifications

Fruits per minute	22 fruits / min	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Feeder capacity	4 / 5 fruits	Power output	300 W 0.40 HP 320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.7 A
Safety	Double safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	



Colors:



Juices:


Oranges

7 NEW COLOURS. A MORE ELEGANT AND SOPHISTICATED LOOK

ULTRA WEAR- AND WASH-RESISTANT FINISHES

NON-STOP FEEDER SYSTEM

SMALLER FOOTPRINT



Top Performance squeezing system, with extra yield and no cycle limit.

Two ways of serving the juice: with a self-service, non-drip tap or with an integrated decanter.

Efficient and clean with our ASP® antibacterial nanotechnology

Built-in waste bucket.

Specifications

Fruits per minute	13 fruits / min	Voltage	Multi-voltage 100-240 V 50-60 Hz
Feeder capacity	6 / 7 fruits	Power output	44 W 0.06 HP
Diameter of fruit	65 - 78 mm	Consumption	0.2 A / 0.45 A
Safety	Triple safety detector and motor locking detection mechanism See dimensions and net weight at zumex.com		



Essential Pro

Maximum simplicity





PRACTICAL SIMPLICITY

TOUCH CONTROL DIGITAL DISPLAY

22 ORANGES PER MINUTE

EASY TO DISASSEMBLE AND CLEAN



Manual feeder with capacity for 4-5 fruits, making juicing easier.

Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Autostart: the juicer starts up automatically when the citrus fruit is placed into the feeder.

S Kit for smaller citrus fruit, such as limes and lemons (45-67 mm).

The self-service mode comes with a non-drip tap which also has a special position for automatic dispensing.

Colors:



Juices:

Oranges | Tangerines
Limes | Lemons

Specifications

Fruits per minute	22 fruits / min	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Feeder capacity	4 / 5 fruits	Power output	300 W 0.40 HP 320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.7 A
Safety	Double safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Versatile Pro

Absolute autonomy.





PULPOUT SYSTEM.
150 KG NON-STOP PRODUCTION

22 ORANGES PER MINUTE

TOUCH CONTROL DIGITAL DISPLAY

FRUIT COUNTER – PARTIAL/TOTAL



Operating modes. Self-service: the machine serves the juice directly into a glass or jug.

Professional: serves juice in continuous mode. The number of oranges can be programmed.

1Step Kit, so you can remove the entire juicing system quickly and easily.

Ultra-smooth feeder system with front door for easy loading of fruit.

The tap comes with an Easy Press front push button and a special position for automatic dispensing.

Colors:



Juices:

Oranges | Tangerines
Limes | Lemons

Specifications

Fruits per minute	22 fruits / min	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Feeder capacity	16 kg 35 lb	Power output	380 W 0.51 HP 320 W 0.43 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	2.7 A
Safety	Double safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Versatile Star

The most compact self-service juicer on the market.




40 FRUITS PER MINUTE

PULPOUT SYSTEM. 150 KG NON-STOP PRODUCTION

MAXIMUM AUTONOMY AND SPEED OF SERVICE IN JUST 0.26 M² OF SPACE



SMART JUICER



JUICE CORNER



PODIUM WIDE

1Step Kit, clean and convenient juicing unit extraction.

Self-service mode: the juice is served directly into the glass or jug.

Bottle holder available with 3 sizes:
34,4 mm | 36 mm | 38 mm.

The Waste Limit function helps to monitor the filling level of the waste trolley.

Lightweight, wheeled podium or Juice Corner wooden cabinet.

Colors:



Juices:


Oranges | Tangerines
Limes | Lemons

Specifications

Fruits per minute	40 fruits / min	Voltage	230V 50 Hz 115 V 60 Hz
Feeder capacity	20 kg 44 lb	Power	280W 0.38 HP 360W 0.48 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm	Consumption	1.4 A / 3.4 A
Safety	Double safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Speed Up

The fastest and sturdiest commercial juicer.



40 FRUITS PER MINUTE

GRUNDBREAKING DESIGN

PULPOUT SYSTEM. AUTOMATIC FILTERING FOR GREATER AUTONOMY


Models:



SMART JUICER



COUNTERTOP



JUICE CORNER

Dark bark cover and falls, protects and keeps the area hygienic for longer.

With bottle holder available in 3 sizes:
34,4 mm | 36 mm | 38 mm.

Wide or Slim steel podium or Juice Corner wooden cabinet.

Colors podium:



Juices:

Oranges | Tangerines
Grapefruits | Limes | Lemons

Specifications

Fruits per minute	40 fruits/ min	Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Feeder capacity	20 kg 44 lb	Power output	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	Consumption	1.9 A / 2.7 A / 3.5 A
Safety	Triple safety detector and motor locking detection mechanism	See dimensions and net weight at zumex.com	

Speed S⁺plus

The highest performance
comercial juicer.



40 FRUITS PER MINUTE

NO. 1 IN PERFORMANCE. GREAT ROBUSTNESS
AND RELIABILITY

PULPOUT SYSTEM. AUTOMATIC FILTERING
FOR GREATER AUTONOMY


Models:



SMART JUICER



COUNTERTOP



JUICE CORNER

1Step Kit, so you can remove the entire juicing system quickly and easily.

2Services tap with front push-button and bottle holder available in 3 sizes:
34,4 mm | 36 mm | 38 mm.

Wide or Slim steel podium or Juice Corner wooden podium.

Colors podium:



Juices:

Oranges | Tangerines
Grapefruits | Limes | Lemons

Specifications

Fruits per minute	40 fruits / min	Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Feeder capacity	20 kg 44 lb	Power output	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Diameter of fruit	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	Consumption	1.9 A / 2.7 A / 3.5 A
Safety	Triple security detector and engine stall detection	See dimensions and net weight at zumex.com	

Speed Pomegranates

Easy, fast and non-stop pomegranate juicer.




POWERFUL AND ROBUST

TRIPLE FILTERING TO OBTAIN READY-TO-DRINK, PREMIUM QUALITY JUICE

JUICES POMEGRANATES UP TO 95 MM

Models:



Juicing system especially designed for pomegranates.

Tap with front button and bottle holder available in three sizes: 34,4 mm | 36 mm | 38 mm.

PulpOut System. Extra large conveyor belt to remove seeds and optimize performance.

Hard-wearing titanium blade ensures excellent cutting and durability.

Excellent autonomy, over 100 Kg of non-stop production.

Colour:



Juices:

Pomegranate

Specifications

Fruits per minute	30 pomegranate / min	Voltage	230 V 50 Hz 230 V 60 Hz 115 V 60 Hz
Feeder capacity	20 kg 44 lb	Power	325 W 0.44 HP 420 W 0.56 HP 280 W 0.38 HP
Diameter of fruit	M Kit: 75-95 mm S Kit (Op): 65-85 mm	Consumption	1.5 A / 2 A / 2.7 A
Safety	4 safety detectors and motor locking detection mechanism	See dimensions and net weight and net weight at zumex.com	

Pineomatic

Instant Freshness



100% NATURAL, FRESHLY CUT PINEAPPLE

MAKE THE MOST OF THE EDIBLE PART OF EACH PINEAPPLE AND REDUCE WASTE

Models:



Profitable from day one: boost consumption by up to 20% and secure the best value in the industry.

Touchless technology: no contact, no effort, fully hygienic.

Attracts consumers with convenience and quality in a single step – operators can pre-pack, or shoppers cut fresh on the spot.


Built for durability: maximum performance with margins up to 40%, designed for continuous profits.

Compact design with an extra-large waste bin for longer autonomy.

Specifications

Speed	30"/pineapple	Voltage	220-240V 50/60Hz
Display capacity	8 units	Power output	200 W
Size	Size 6 Size 7 Size 8 (Choose machine settings according to the desired size)	Waste capacity	40 pineapples

4 Schneidoptionen



See dimensions and net weight and net weight at zumex.com



5 years warranty

Register your product in our website
within 3 months of purchase and
extend your warranty from 2 to 5 years.



- No cycle limit
- No maintenance contract



-More information



Juicing solutions

Find the commercial juicer that best suits
the needs of your business.

Fast service

Fruits / min.


Channel




Autonomy

Feeder, capacity, waste,
pulp sweeper

Supermarket/
Hypermarket
Convenience/
Corner shop
Fruit shop
Bakery
Hotel
Restaurants
Juice shop
Gym
Co-working
spaces
Hotel
Cocktails
Bar/Coffee shop
Catering
Club





Zumex Group | Headquarters
Pol. Ind. Moncada III - C/Moli 2
46113 Moncada - Valencia - Spain
Tel: +34 961 301 251
zumez@zumex.com

Zumex France
14 Rue du Pont Neuf,
75001 Paris - Francia
Tel: +33 975 187 354
zumexfrance@zumex.com

Zumex México
Uxmal 616, Colonia Vértiz Narvarte
Delegación Benito Juárez
CP 03600, Ciudad de México-
México
Tel.: +52 (55) 5212-0619
zumexmexico@zumex.com

Zumex North America
1573 NW 82nd Ave,
Miami, FL 33126 USA
Tel. +1 305 591 0061
zumexusa@zumex.com
